

\ CoviPure

Disinfectant for water-resistant surfaces
Kills Envelope Viruses in 30 seconds or less (including Coronavirus and Influenza)
Removes 99.9 % of all known bacteria, viruses and other germs

CoviPure™ is a liquid biocidal disinfectant with excellent disinfection behavior. Pathogenic germs are reliably inactivated by the oxidative, oxygen-releasing effect. It disinfects all water-resistant surfaces and inventory in public buildings, office buildings, airports, kitchens, sanitary, household and other areas. Broad effectiveness against microorganisms.

CoviPureTM is free of alcohols, ammonium compounds or solvents and does not contain copper or silver ions. The pH is in the neutral range of 7 - 8.5 which is gentle on skin.

Product advantages

- Broad antimicrobial spectrum of action
- ⊕ Ingredients effective against; Coronaviruses, P. aeruginosa, E. coli, Influenza
- Proven effectiveness against enveloped viruses such as coronaviruses even after dilution*
- ⊕ Free of allergens and fragrances

\ PROPERTIES & APPROVALS

Active Ingredients		Stable solution of approx. 0.03 % free chlorine		
Dosage form		Ready-to-use solution for spray application		
Concentration of active substance		300 ppm		
	EN 13624	C. albicans and A. brasiliensis		
Test EN 13697		Gram-positive, gram-negative bacteria, C. albicans and A. brasiliensis		
Approvals	EN 13727	Gram-positive and gram-negative bacteria		
	EN 14476	Enveloped viruses (e.g. Coronaviruses) & non-Enveloped viruses (e.g. Polio)		



Synergetic combination of disinfecting chlorine-oxygen-compounds



Effective against 99.9 % of pathogenic germs, such as Bacteria, Viruses and others



Ensures reliable surface disinfection



\ CONTACT TIMES

	ORGANISM	TEST NORM	TEST TYPE	CONTACT TIME
Bacteria	P. aeruginosa		Suspension	30 seconds
	E. coli	EN 13727		
	S. aureus			
	E. hirae			
	P. aeruginosa		Surface	5 minutes
	E. coli	EN 13697		
	S. aureus			10 minutes
	E. hirae			
Fungi / Yeast	C. albicans	EN 13624	Suspension	5 minutes
	A. brasiliensis		Suspension	
	C. albicans	EN 13697	Surface	
	A. brasiliensis	LN 13037	Surface	
Enveloped	Coronaviruses	EN 14476	Suspension	30 seconds
Viruses*	Influenza		Suspension	
Non-	Polio			5 Minutes
Enveloped	Adenovirus	EN14476	Suspension	30 seconds
Viruses	Murine Norovirus			60 seconds

\APPLICATION

Objects and surfaces are sprayed from a distance of approx. 30 cm until fully wetted.

Leave on surface for required times as highlighted above and wipe away with a cloth. Alternatively rinse with water. In the case of sensitive surfaces, make a resistance test at an inconspicuous place if necessary.

*For effectiveness against enveloped viruses such as Coronaviruses and Influenza, product can be diluted with water to 50% concentration for 30 seconds contact time or to 10% concentration for 30 minutes contact time.

All information is only a guideline. The actual dosage depends on degree of contamination. Frequency of use as required.

**** SAFETY INSTRUCTIONS

Use biocidal products carefully. Always read the label and product information before use. Keep out of reach for children.

Do not put solution in eye or onto mucous membranes. Based on the available data, the product is not a hazardous mixture according to European guidelines or Dangerous Goods guidelines.

The product can be stored in tightly closed container under cool and dark conditions for 18 months. Keep out of reach for children and away from food, drink and animal feed. Store away from acids.

Complies with EU Biocidal Products Regulation (EU) 528/2012, Art. 95 (2).

Ingredients: Composition of chlorine-oxygen-compounds.

TYPES OF PACKAGING

- 250 / 500 mL spray bottle
- 5 / 10 / 25 L canister
- 200 L drum
- 1000 L IBC